

Dominant Air Power: Design For Tomorrow...Deliver Today

Developing, Fielding, and Sustaining America's Aerospace Force



The Predator Unmanned System

From Advanced Concept
Demonstrator to Transformational
Weapon System

Frank Grimsley 303d AESW/EN

maintaining the data needed, and of including suggestions for reducing	lection of information is estimated to completing and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding ar DMB control number.	ion of information. Send comments arters Services, Directorate for Information	regarding this burden estimate or mation Operations and Reports	or any other aspect of the 1215 Jefferson Davis	nis collection of information, Highway, Suite 1204, Arlington	
1. REPORT DATE SEP 2008	2 DEPORT TYPE			3. DATES COVERED 00-00-2008 to 00-00-2008		
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
The Predator Unmanned System From Advanced Concept Demonstrator to Transformational Weapon System				5b. GRANT NUMBER		
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) 303rd Aerospace Wing,2640 Loop Rd West,Wright Patterson AFB,OH,45433				8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited						
13. SUPPLEMENTARY NO See also ADM0021 on 9-12 September	83. Presented at the	Technology Maturi	ity Conference he	eld in Virgini	a Beach, Virginia	
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFIC	17. LIMITATION OF ABSTRACT	18. NUMBER	19a. NAME OF			
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	OF PAGES 17	RESPONSIBLE PERSON	

Report Documentation Page

Form Approved OMB No. 0704-0188



Why UAS? Operator Pull



- Advances in Sensor Technology
 - -Reduced Size & Weight
 - -High Resolution
 - -Permit Detection of Fixed and Moving Targets
- Pressure to Minimize Causalities both Civilian and Military
- Requirement for Persistent Surveillance of the Battle space
 - -Taxes or Exceeds the Limits of Human Endurance
- High Marks from Combatant Commanders in Serbia,
 Afghanistan and Iraq



Technology Transition Resistance



Dominant Air Power: Design For Tomorrow...Deliver Today


- 1. Culture And Policy
 - Long Standing, Large Organizational Bias
 Against New, Unproven Technology Or Concepts
- 2. Competition With Legacy And Other Programs For Funds
- 3. Program Start Stop Syndrome
 - Uncertain Requirements
 - Stop Production In Favor Of Next Best UAS
- 4. Greater Than Expected Costs, Mishap Rates, Survivability Concerns
- 5. Radio Frequency Bandwidth Concerns And Interoperability

Ref: OSD UAS Roadmap



RSW UAS Size Comparison







MQ-9A Program Description



Dominant Air Power: Design For Tomorrow...Deliver Today

•Hunter-killer (Reaper)

- -Find, Fix, Track, Target, Engage And Assess
- Prosecute Critical Emerging Time Sensitive Targets
- -Radar-based Targeting With Organic Hard-kill Capability
- Secondary Role Of Intelligence, Surveillance, Reconnaissance

Wingspan: 66 FT

Length: 36 FT

Max Speed: 240 KTAS

Max Endurance: 24 hr

Max Fuel: 4,000 lb

Max Altitude: 50,000 ft

GTOW: 10,500 lbs




External Payload: 3000 lbs (6 wing hard points)



MQ-9A System Description












Remote Split Operations (RSO)







Critical Enablers



Dominant Air Power: Design For Tomorrow...Deliver Today

MQ-1 Predator With Hellfire (FY2001)

- Required CSAF Gen Jumper Top Down Leadership
 - Familiar With System Since Bosnia
 - Drove The Weaponization Effort
- •Rover (FY 2001)
 - Developed As An Urgent Warfighter Need For AC-130 Gunship (FY 2001)
 - -Transitioned To Ground Forces (FY2002)
- These Two Technologies Combined To Create The Perfect Tool For Iraq And Afghanistan
 - Broke Down A Large Number Of Stovepipes








Schedule







Technical Transition Phase Prototyping



- Originated As Industrial Research And Development (IRAD) Program By GA-ASI In 2000
 - -First Flight in Feb 2001



- Post 9-11-01 Accelerated Purchase Of First Two YMQ-9
 "Predator B" Support War On Terror
 - -Delivered First "As Is" Configuration To USAF In Feb 02
 - Used DERF (Defense Emergency Response Funding)
 - Expanded Envelope And Payload Capacity (Beyond MQ-1)
 - -Early Focus On Agile, Quick Reaction Development/Test



Technical Transition Phase Prototyping Dominant Air Power: Design For Tomorrow...Deliver Today



- Predator B Tech Review (Dec 2001) Held Prior To **Purchasing Two Prototypes**
- Findings
 - -A/C #1 And #2 "Development" Aircraft Not FAR 23 Compliant
 - Limited Flight Testing To Date (Approx. 90 Flight Hrs)
 - Performance Estimates Available GA Analytical Numbers
 - High Altitude Endurance Flight Test In Progress (Up To 50 K-ft)
 - A/C Capability -- "Fall-out" Of Current Configuration
 - Structural Limitations Landing Gear & Wing Structure (A/C#1)
 - -Both Less Than 10,000 lbs GTOW
 - Similar Electronic System Reliability To Predator A Single **Thread Flight Controls**



Technical Transition Phase Task Force Arnold



Dominant Air Power: Design For Tomorrow...Deliver Today

Task Force Arnold (TFA) Created To Increase Oversight

- Senior USAF Leadership (Secretary Of The Air Force, Chief Of Staff Of The Air Force, Commander Of Air Combat Command)
- Conducted From Feb 03 Thru Jun 05
- Focused On Warfighter Capabilities And Priorities
- Provided Stable Vector, Direction And Objectives

Oversaw Multi-phase Transitional Efforts


- Productionization And Weaponization (P&W) Jul 03
 - Strengthened Structural Integrity (Expand Payload Capacity)
 - Improved Avionics And Flight Controls (Fully Redundant)
 - Improved Communication, Radar (Lynx SAR) And EO/IR Sensor
- -Interim Combat Capability (ICC) Apr 04 Basic Weapons Capability
 - •GBU-12 / AGM-114 HELLFIRE / GBU-38 JDAM (FY08)
 - 45kVA High Capacity Starter-Generator System
 - FAA Certified 1-Box Digital Electronic Engine Control (DEEC)



Technology Transition Phase Results



- Air Combat Command Program Direction Approved By JROC (Joint Requirements Oversight Council)
 - -Capability Development Document (Inc I) Dec 04
- Air Force Program Executive Officer Approved Milestone
 B (LRIP I) Feb 04
 - Approved 10 Pre-production Prototypes
 - Approved 4 A/C For First Low-rate Initial Production (LRIP I)
 - -Continue R&D Efforts To Improve Capabilities
- Congress Added 7More A/C (FY04)





System Development And Demonstration (SDD) – Mar 05



Dominant Air Power: Design For Tomorrow...Deliver Today

- Improved Weapons Capability
 - -GBU-12 / AGM-114 HELLFIRE / GBU-38
 - -Improved BRU-46(SL) Bomb Rack Development/Integration
 - -Stores Management System (SMS) Improvements
- Lynx SAR Improvements
- Blue Suit Technical Order Development
- Logistics Management Information (LMI)
- Electromagnetic Interference / Environmental Testing
- Airworthiness Certification

"Normalize But Don't Slow Down"



Conclusions



Dominant Air Power: Design For Tomorrow...Deliver Today

•MQ-9 Was Able To Overcome Technology Transition Resistance

- ✓ Culture And Policy Long Standing, Large Organizational Bias Against New, Unproven Technology Or Concepts
 - Followed MQ-1/Rover Success
- **✓ Competition With Legacy And Other Programs For Funds**
 - Aircraft System Is Inexpensive Relative To Other Weapon Systems
- ✓ Program Start Stop Syndrome
 - Uncertain Requirements
 - Stop Production In Favor Of Next Best UAS
 - High Level Champion In Task Force Arnold
 - Consistent Funding, Requirements
 - Over 22,700 Flight Hours



Conclusions



- Greater Than Expected Costs, Mishap Rates, Survivability Concerns
 - MQ-1 Mishap Rates Have Improved Dramatically
 - MQ-9 Leverages MQ-1 Lessons Learned (Ex. Redundant Flight Systems, Planned A/W Certification)
- ✓ Radio Frequency Bandwidth Concerns And Interoperability
 - Interoperability With MQ-1 Ground Stations, Rover, Video Exploitation, Etc



Summary



- Successful Transitions Require:
 - 1. High Level Champion
 - 2. Needs To Integrate With Existing Operator Infrastructure
 - 3. Early Successes
 - 4. Operator Needs To Be Involved Early
 - Willingness To Experiment
 - Requirements